
Hacettepe Üniversitesi'nden Utku PERKTAŞ ve Ahi Evran Üniversitesi'nden Hakan GÜR'ün editörlüğünde Omurgalı Biyolojisi Enstitüsü, Çek Cumhuriyeti Bilimler Akademisi tarafından yayınlanan Folia Zoologica, International Journal of Vertebrate Zoology (SCI) dergisinde filocoğrafya ve ekolojik niş modellemesi üzerine özel bir sayı yayınlanmıştır. Bu özel sayıda, Utku PERKTAŞ ve Hakan GÜR'ün daveti üzerine Avrupa, Kuzey Amerika ve Güney Amerika'daki 16 farklı üniversite/enstitü/laboratuvardan 25 bilim insanın katkısı ile 2 derleme, 6 araştırma makalesi ve 2 kitap derlemesi yayınlanmıştır. Filocoğrafya üzerine olan derleme, alanının öncü bilim insanlarından biri olan Harvard Üniversitesi'nden Scott V. EDWARDS ve arkadaşları; ekolojik niş modellemesi üzerine olan derleme ise, yine alanının öncü bilim insanlarından biri olan Kansas Üniversitesi'nden A. Towsend PETERSON ve arkadaşı tarafından yazılmıştır. Editörler Utku PERKTAŞ ve Hakan GÜR tarafından özel sayıya yazılan önsözü ve özel sayının içeriğini aşağıda bulabilirsiniz.



Preface	185
EDWARDS S.V., SHULTZ A.J., CAMPBELL-STATON S.C. Next-generation sequencing and the expanding domain of phylogeography	187
PETERSON A.T., ANAMZA T. Ecological niches and present and historical geographic distributions of species: a 15-year review of frameworks, results, pitfalls, and promises	207
GALBREATH K.E., HOBERG E.P. Host responses to cycles of climate change shape parasite diversity across North America's Intermountain West	218
SMYTH J.F., PATTEN M.A., PRUETT C.L. The evolutionary ecology of a species ring: a test of alternative models	233
ORNELAS J.F., GONZÁLEZ DE LEÓN S., GONZÁLEZ C., LICONA-VERA Y., ORTIZ-RODRIGUEZ A.E., RODRÍGUEZ-GÓMEZ F. Comparative palaeodistribution of eight hummingbird species reveal a link between genetic diversity and Quaternary habitat and climate stability in Mexico	245
FAHEY A.L., RICKLEFS R.E., DEWOODY J.A. Historical demography of bird populations from Hispaniola assessed by nuclear and mitochondrial gene sequences	259
SAVIT A.Z., BATES J.M. Right around the Amazon: the origin of the circum-Amazonian distribution in Tangara cayana	273
PERKTAŞ U., GÜR H., ADA E. Historical demography of the Eurasian green woodpecker: integrating phylogeography and ecological niche modelling to test glacial refugia hypothesis	284
Book Review	299

Preface

Guest editors' introduction to the special issue: integrating phylogeography and ecological niche modelling In this special issue of the Folia Zoologica, we did not focus on a specific problem or a taxon, but on two key disciplines that have been widely used together in recent biogeographic studies: "Phylogeography and Ecological Niche Modelling". Phylogeography itself deals with the spatial arrangements of genetic variation and diversity especially within and among closely related species. In late 1980s, John Avise developed its theoretical framework based on the principals of population genetics and phylogenetics (Avise et al. 1987). At the beginning, mitochondrial DNA (mtDNA) studies became more common especially in animal phylogeography. Hence, astounding numbers of phylogeographic studies based on mtDNA data have been published for last 20 years (see Knowles 2009, Gutiérrez-Garcia & Vázquez-Dominguez 2011). The rising interest in phylogeography together with recent advancement in DNA technology and statistical processes make this field a fast-evolving discipline. Perhaps the most significant development in phylogeography in the past ten years has been the introduction of new sequencing techniques that allow rapid sequencing from large amount of gene loci and the advances in coalescent theory.

Phylogeography is a synthetic discipline that integrates with different disciplines within ecology and evolutionary biology to provide a comprehensive understanding of the spatial arrangements of genetic variation and diversity in the past and present. Ecological niche modelling, for instance, is an important methodological development designed to predict the past, present and future geographic distribution of organisms. The integration of phylogeography and ecological niche modelling provides incorporating the patterns of geographic ranges into analyses of genetic variation and diversity (Carstens & Richards 2007, Alvarado-Serrano & Knowles 2014). In a nutshell, phylogeography together with ecological niche modelling certainly provides valuable insights that can improve our understanding of the spatial patterns of biodiversity in the past and present.

This issue aims to consider the advances in both phylogeography and ecological niche modelling. There are eight articles that are set in the two sections, and two book reviews. The first section includes two studious and comprehensive reviews. In the phylogeography review, Edwards, Shultz & Campbell-Staton focused on next generation sequencing and its contribution to phylogeography. On the other hand, in the ecological niche modelling review, Peterson & Anamza focused on species-level distributional ecology with a brief historical review and methodological considerations and advances. The second section includes a nice set of six research articles. Galbreath & Hoberg focused on phylogeography of host-parasite co-speciation in the North American pika/parasite assemblage. Smyth, Patten & Pruett examined ring species formation in song sparrow complex that surrounds Sierra Nevada in North America. Ornelas and his colleagues focused on genetic diversity of eight hummingbird species in Mesoamerica and its relationship with past climatic fluctuations. Fahey, Ricklefs & DeWoody examined historical demography of 16 bird species in Hispaniola based on nuclear DNA (nuDNA) data and discussed the concordance between nuDNA and mtDNA. Savit & Bates focused on phylogeography of the burnished-buff tanager in South America. At the end, in our research article, we examined historical demography of the Eurasian green woodpecker to discuss glacial refugia hypothesis in Europe. The third section includes two book reviews. Thus, this issue closes with up-to-date reviews of recently published books in the field of statistical phylogeography and climate change ecology.

It is certainly inevitable that phylogeography as a fast-evolving discipline will continue to grow. We believe that this set of articles, written by well experienced experts of phylogeography and ecological niche modelling, reflects its fast-evolving nature and may be a valuable resource.

Finally, we would like to give our sincere thanks to all contributing authors and to all reviewers, who helped to improve all contributions in this issue in terms of both contents and readability. We also extend our warmest thanks to the chief editor, Prof. Jan Zima, and the managing editor, Lenka Glosová, for making this special issue possible in the Folia Zoologica.

185

Literature

Alvarado-Serrano D.F. & Knowles L.L. 2014: Ecological niche models in phylogeographic studies: applications, advances and precautions. Mol. Ecol. Resour. 14: 233–248.

Avise J.C., Arnold J., Ball R.M., Bermingham E., Lamb T., Neigel J.E., Reeb C.A. & Saunders N.C. 1987: Intraspecific phylogeography: the mitochondrial DNA bridge between population genetics and systematics. *Ann. Rev. Ecol. Syst.* 18: 489–522.

Carstens B.C. & Richards C.L. 2007: Integrating coalescent and ecological niche modelling in comparative phylogeography. Evolution 61: 1439–1454.

Gutiérrez-Garcia T.A & Vázquez-Dominguez E. 2011: Comparative phylogeography: designing studies while surviving the process. BioScience 61: 857–868.

Knowles L.L. 2009: Statistical Phylogeography. Ann. Rev. Ecol. Syst. 40: 593-612.